



Elevator Equipment Corporation

"Simplicity in Motion"



Doors & Entrances

UL Classified and Listed



HALLWAY VIEW



HOISTWAY VIEW

Complete Unit consists of UL approved:

- Doors, Sight Guards, Gibs, Door Retainer Brackets and Fire Tabs
- Adjustable 7 Gauge Sill Angle
- Set of "Z" Brackets from bottom of frame to sill angle, holds a rigid clear opening
- Standard Aluminum Sill
- 14 ga Frames - Primed or Stainless Steel
- Fascia Plates (available in different sizes)
- Dust Cover Plate
- Units drilled to manufactured equipment
- Hardware
- Units come with knocked-down frames for shipping

SILL FINISHES



ALUMINUM

ST. STEEL

NICKEL-SILVER

BRASS

BRONZE



File # R7883



**LISTED
File # R13907**



SINGLE SPEED




CENTER OPENING

DOOR SIZES


SINGLE SPEED

36" x 84" • 42" x 84"
48" x 84"




CENTER OPENING

36" x 84" • 42" x 84"
48" x 84"



2 SPEED CENTER OPENING

36" x 84" • 42" x 84"
48" x 84" • 96" x 84"



2 SPEED HANDED

36" x 84" • 42" x 84"
48" x 84"




NOTE: Our standard height is 7' (84") and we are capable of designing and manufacturing doors with different widths, please contact EECO.

PRIMED



POWDER COAT



BLACK




WHITE



RED



BEIGE



BROWN



GREEN




BLUE




GRAY

FINISHES

5WL



SANDTEX




LINEN



#4 BRUSHED



RANDOM SWIRL



OPTIONAL JAMB BRAILE



STAR OF LIFE



NOTE: Other finishes are available, contact EECO. All colors and textures shown here are approximate representations only.



Elevator Equipment Corporation

"Simplicity in Motion"

Print Form

Clear Form

Email Form

(888) 577-3326 • Fax: (888) 577-3116
www.elevatorequipment.com

NOTE: To email this form, fill it out using Adobe Acrobat Reader or
save the file and then email to: sales@eecomail.com.

ENTRANCE & DOOR QUOTE REQUEST FORM

CUSTOMER: _____
CONTACT: _____
JOB NAME: _____
JOB LOCATION: _____
NOTE: _____

PO NUMBER: _____

REQUESTED SHIP DATE: _____

E-MAIL: _____

SHIPPING ADDRESS: _____

DOOR INFORMATION

FRONT OPENING SIZE : _____ W X _____ H

REAR/SIDE OPENING SIZE: _____ W X _____ H

DOOR OPERATOR : _____

DOOR FINISH:

- ☐ #4 STAINLESS STEEL ☐ POWDER COATED
☐ #4 BRASS ☐ NO HALL DOORS
☐ PRIMED ☐ OTHER _____

FRAME INFORMATION

FRAME FINISH:

- ☐ #4 STAINLESS STEEL
☐ #4 BRASS
☐ PRIMED
☐ POWDER COATED
☐ NO FRAMES
☐ OTHER _____

SILL INFORMATION

- ☐ ALUMINUM
☐ NICKEL SILVER
☐ BRONZE
☐ STAINLESS STEEL

OPTIONS

- ☐ JAMB BRAILLE ☐ STAR OF LIFE
☐ FASCIA ☐ BLIND FASCIA
☐ KEYHOLE ☐ TRI-LOCKS
☐ ESCUTCHEON TUBE
☐ JAMB CUTOUT
 (SPECIFY BELOW)

SPECIAL DESIGNS AND CONFIGURATIONS ARE AVAILABLE; CONTACT EECO SALES.

PROJECT DETAILS

			OPENING						WALL TYPE D=DRYWALL M=MASONRY		WALL THICKNESS	DOOR TYPE				
			LEFT		CENTER		RIGHT					1-SPD		2-SPD		
LDG	FLOOR LABEL	FLOOR HEIGHT	F	R	F	R	F	R	D	M		F	R	F	R	
15																
14																
13																
12																
11																
10																
9																
8																
7																
6																
5																
4																
3																
2																
1																

NOTES: _____

ENTRANCE FRAME LAYOUT

